



64, 1st Floor, Jalan USJ 1/33, USJ 147600 Subang Jaya, Selangor Darul
 Ehsan Tel no.: +603 8023 2733 Fax no.: +603 8023 1733/3093

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

Part Number	Description	Qty	Price (RM)
Generation 5 ML110 - SATA Model (NEW MODEL)			

107TC70	533548-371	HP ML110T05 E3110 (Xeon DC 3.0Ghz/1333Mhz 2x3MB L2 Cache) 1GB RAM, 160GB NHP SATA No Floppy	1	
	450259-b21	HP 1GB UB PC2-6400 1x1GB Kit	1	
				1,940
				1,638

Part Number	Description	Qty	Reseller Price
-------------	-------------	-----	----------------

Memory

107GR74	450258-B21	HP 512M UB PC2-6400 1x512M Kit	1	291
107GR78	450259-B21	HP 1GB UB PC2-6400 1x1GB Kit	1	458
107GY87	450260-B21	HP 2GB UB PC2-6400 1x2GB Kit	1	902

Hard Drives

107LY49	458947-B21	HP 160GB 7.2k NHP SATA ETY 1y Wty HDD	1	468
---------	------------	---------------------------------------	---	-----

Raid Options

107BG11	411508-B21	HP Smart Array E200/128 BBWC Controller	1	1264
107HK78	457692-B21	HP ML110/150G5 NHP SAS/SATA 4Port Cbl Ki	1	104

- cable required when using SA E200

Network card				
107BU44	412648-B21	HP NC360T PCI Express Dual Port Gigabit Server Adapter	1	560
107GH63	434905-B21	HP NC110T PCIe Gigabit Server Adapter	1	358
Remote Management				
107MN06	445513-B21	HP Lights-Out 100c Kit	1	394
Value Add-on : Service Warranty				
107CY23	U2562AA	Warranty upgrade to 3 year parts, labour and onsite* *Limited to 50Km radius from HP service center only	1	121

Features and Specifications

ML110G5 Specs

Processor	Dual-Core & Quad-Core Intel Xeon 3000 series
Chipset	Intel 3200 Chipset
No of Processors	Single
Cache Memory	Up to 1x12MB L2 cache
Memory	512 MB Standard on SATA, 1GB on SAS Models, PC6400 DDR2, Unbuffered ECC
Max Memory	8GB RAM
Memory Slots	4 slots capacity
Network Controller	Embedded NC105i PCIe Gigabit Server Adapter
Storage Controller	Integrated 6 port SATA controller with embedded RAID (0,1,1+0) on SATA Models HP 4 Internal Port SAS SC40Ge HBA with RAID (0,1) on SAS Models
Hard Drive	Std NHP HDD 160GB on SATA model, 72GB SAS on SAS models
Internal Storage	Up to four HDD.
PCI Slots	2 x x8 channel/x1 link PCI-e; 1 x x8 channel/x4 link PCI-e; 1 x PCI 32bit/33MHz 3.3V
I/O	0 x Parallel, 1 x serial, 8 USB (2 front, 4 rear, 2 int)
Diskette Drive	1.44MB Diskette Drive (Optional)
Optical Drive	SATA DVD-ROM drive
Graphics	Integrated Graphics Controller with 32MB video memory supporting 1600 x 1200 x 16 Bit Colors resolution
Power Supply	365W Power Supply
Form Factor	Tower (4U)

Manageability
Warranty Services

HP ProLiant G5 Lights-Out 100c Remote Management Card, Easy Setup CD
3 years of part, Service; 1 year of labour and on-site support (Next Business Day) - certain restrictions and exclusions apply

Terms and Conditions / Remarks :

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.
3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.
5. SmartStart installation CD is not available in this particular series.
6. Additional add on of components is only certified as per the product data sheet

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

Part Number	Description	Qty	Remarks	Price (RM)
HP ProLiant ML150 G6				
107RJ60	466132-371 ML150 G6 E5504 SAS/SATA AP Svr	1		
	384854-B21 HP 146GB 3G SAS 15K 3.5" DP HDD	1		
				5391.20

Promotion Model Specification

Processor	(1) Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)
Memory	2 GB (1 x 2 GB) PC3-10600E Unbuffered Advanced ECC memory
Network Controller	Embedded HP NC107i PCI Express Gigabit Server Adapter
Storage Controller	HP Smart Array P410 controller w/ Zero Memory cache Raid Controller (RAID 0,1, 0+1)
Hard Disk	None Shipped Standard
Power Supply	460W Non-Hot Plug, Non-Redundant Power Supply
Optical Drive	HP Half-Height SATA DVD-ROM Optical Drive
Form Factor	5U Tower

Part Number	Description	Qty	Remarks	Reseller Price (RM)
Operating System				
107IR94	468724-B21 MS W2008 Srv Std ROK Eng SW	1	Selling at End user price RM1888. Valid from 30th Nov until 31st Dec 09 or while stock lasts . Special bid & project deals are not eligible	2492.60
				1796.32
	505536-B21 MS W2008 EBS Std ROK Eng SW	1		17139.20
Processor				
	507721-B21 Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)	1		2616.14
Memory				
	500668-B21 HP 1GB 1Rx8 PC3-10600E-9 Kit	1		133.95
107RR52	500670-B21 HP 2GB 2Rx8 PC3-10600E-9 Kit	1		276.06
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement				
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Optical Drives				
107HC50	447328-B21 HP Half-Height SATA DVD RW Optical Drive	1		280.72
Hard Drives				
107TG81	384854-B21 HP 146GB 3G SAS 15K 3.5" DP HDD	1		1528.22
107HF66	416127-B21 HP 300GB 3G SAS 15K 3.5" DP HDD	1		2451.90
107TX90	454232-B21 HP 450GB 3G SAS 15K 3.5" DP HDD	1		2949.27
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement				
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Communications				
107UF88	503746-B21 HP NC112T PCIe Gigabit Server Adapter	1		195.69
107BU44	412648-B21 HP NC360T PCI Express Dual Port Gigabit Server Adapter	1		560.27
	394793-B21 HP NC373F PCI Express Multifunction Gigabit Server Adapter	1		1302.25
107CR39	394791-B21 HP NC373T PCI Express Multifunction Gigabit Server Adapter	1		718.68
107SL91	458492-B21 HP NC382T PCIe Dual Port Multifunction Gigabit Server Adapter	1		563.76
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement				
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Storage Controller				
107TG82	462967-B21 HP 512MB P-Series BBWC Upgrade	1		1171.79
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement				
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				

Power Supply				
107VV21	512327-B21	750W CS HE Gold Hot Plug Power Supply	1	1000.56
	508544-B21	HP Redundant Power Supply Enablement Kit	1	669.76
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement				
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Others				
107ES61	417705-B21	HP Tower to Rack Conversion Tray, Universal Kit	1	604.80
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement				
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				

General HP ProLiant ML150 G6 Features and Specifications

HP ProLiant ML150 G6

CPU	Intel Dual / Quad Core XEON E5500 Processor
Chipset	Intel® 5500 chipset
No. of Processor	Upgradeable to two processors (dual or quad-core)
Cache	Integrated 1 x 8MB level 3 cache (E5540, E5530, E5520 sequence) Integrated 1 x 4MB level 3 cache (E5506, E5504, E5502 sequence)
Graphics	32MB shared supporting 1600x1200x16M resolution
Memory	DDR3 Registered (RDIMM) or Unbuffered (UDIMM) Maximum : 48 GB (12 x 4 GB) for Registered Memory configurations Maximum : 24 GB (12 x 2 GB) for Unbuffered Memory configurations <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
Storage Controller	Performance model: HP Smart Array P410/256MB RAID Controller (RAID 0/1/1+0/5/5+0) Base model: HP Smart Array P410/0MB RAID Controller (RAID 0,1std) Entry model: HP Smart Array B110i SATA RAID Controller (RAID 0,1,10)
Max. of Hot Plug Drive	Internal SAS storage capacity of up to 8.0TB (8 x 1TB 3.5" SAS drives) Internal SATA storage capacity of up to 8.0TB (8 x 1TB 3.5" SATA drives) <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
Diskette Drive	None Shipped Standard
CD-ROM	HP Half-Height SATA DVD-ROM Optical Drive ships standard
I/O Expansion	Five expansion slots: Slot 1: 32bit/33MHz PCI 3.3V Slot 2: x8 PCI-Express (Gen 1 x4 link) Slot 3: x8 PCI-Express (Gen 2 x4 link) Slot 4: x16 PCI-Express (Gen 2 x16 link) Slot 5: x8 PCI-Express (Gen 2 x4 link)
NIC	Embedded HP NC107i PCI Express Gigabit Server Adapter
Form Factor	Tower (5U)
Management	HP ProLiant Onboard Administrator (powered by the HP Integrated Lights-Out 100 Baseboard Management Controller) with optional LO100 Advanced Licenses for Virtual KVM and Virtual Easy Set-up CD and ISO image for web download Enhanced HP ProLiant 100 series environmental monitoring that is similar and consistent to that of ProLiant 300 series servers and above. This server now offers the HP Insight Management Agents and HP Insight Management WBEM Providers to facilitate robust system
Power Supply	Standard: 460W Non-Hot Plug, Non-Redundant Power Supply Optional: 750W CS HE Gold Hot Plug Power Supply
Fans	Two (2) - Non-hot plug, Non-redundant system fans Optional redundant system fan
O/S Supported	Supports Windows, RHEL, SLES and XenServer <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
Warranty	3 Years Parts : 1 Year Labor : 1 Year On Site Next Business Day response

Terms and Conditions / Remarks :

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.

3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.
5. Additional add on of components is only certified as per the product data sheet

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

Part Number	Description	Qty	Remarks	Price (RM)
HP ProLiant DL160 G6				
107RJ70	490442-371 DL160 G6 E5504 Hot Plug AP Svr	1		
	481045-B21 DVD-ROM Drive (optional)	1		
	416127-B21 HP 300GB 15K SAS 3.5 DP HDD	1		
				6482.11

Promotion Model Specification

Processor	(1) Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)
Memory	4GB (2 x 2GB) PC3-10600E (UDIMM)
Network Controller	HP NC362i Integrated Dual Port Gigabit Server Adapter
Storage Controller	P410 Smart Array SAS/SATA RAID 0,1,10
Hard Disk	None Shipped Standard
Power Supply	500W high efficiency multi-output supply (ships standard)
Optical Drive	None Shipped Standard
Form Factor	1U

Part Number	Description	Qty	Remarks	Reseller Price (RM)
Operating System				
107IR94	468724-B21 MS W2008 Srv Std ROK Eng SW	1	Selling at End user price RM1888. Valid from 30th Nov until 31st Dec 09 or while stock lasts. Special bid & project deals are not eligible	1796.32
	505536-B21 MS W2008 EBS Std ROK Eng SW	1		17139.20
Processor				
107WM31	490457-B21 Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)	1		2616.14
Memory				
	500668-B21 HP 1GB 1Rx8 PC3-10600E-9 Kit	1		133.95
107RR52	500670-B21 HP 2GB 2Rx8 PC3-10600E-9 Kit	1		276.06
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Optical Drives				
107VV22	481047-B21 DVD RW Drive	1		460.10
Hard Drives				
107TG81	384854-B21 HP 146GB 3G SAS 15K 3.5" DP ENT HDD	1		1528.22
107HF66	416127-B21 HP 300GB 15K SAS 3.5 DP HDD	1		2451.90
107TX90	454232-B21 HP 450GB 3G SAS 15K 3.5" DP HDD	1		2949.27
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Communications				
107UF88	503746-B21 HP NC112T PCIe Gigabit Server Adapter	1		195.69
107BU44	412648-B21 HP NC360T PCI Express Dual Port Gigabit Server Adapter	1		560.27
	394793-B21 HP NC373F PCI Express Multifunction Gigabit Server Adapter	1		1302.25
107CR39	394791-B21 HP NC373T PCI Express Multifunction Gigabit Server Adapter	1		718.68
107SL91	458492-B21 HP NC382T PCI Express Dual Port Multifunction Gigabit Server Adapter	1		563.76
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				
Storage Controller				
107UN48	512181-B21 HP 4HDD Hot Plug Backplane G6 Kit	1		229.47
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "				

General HP ProLiant DL160 G6 Features and Specifications

HP ProLiant DL160 G6

CPU	Intel Quad Core XEON E5500 Processor
Chipset	Intel® 5520 Chipset
No. of Processor	Upgradeable to two processors (quad-core)
Cache	4 MB Level 3 cache (E5504) 8 MB Level 3 cache (standard)
Graphics	32MB shared supporting 1600x1200x16M resolution
Memory	DDR3 Registered (RDIMM) or Unbuffered (UDIMM) Maximum : Up to 144GB, using PC3-10600 or PC3-8500R DDR3 Registered (RDIMM) memory Maximum : Up to 24GB, using PC3-10600E DDR3 Unbuffered (UDIMM) memory Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information
Storage Controller (Options)	HP Embedded SATA RAID Controller (integrated into the south-bridge) supporting SW RAID 0,1,10 HP Smart Array B110i SATA RAID HP Smart Array P410 RAID Controller (RAID 0/1/1+0/5/5+0)
Max. of Hot Plug Drive (Options)	Non-Hot Plug SATA 3.0TB 4 x 750GB Up to 4 Hot plug SAS/SATA 3.5" drives Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information
Diskette Drive	None Shipped Standard
CD-ROM	None Shipped Standard
I/O Expansion	Non-Hot Plug Models: Up to two available PCI Express 2.0 slots: Slot 1: full-length/full-height PCI-Express 2.0 x16 or Slot 1: half-length/full-height PCI-Express 2.0 x16 Slot 2: low-profile internal only PCI-Express 2.0 x4 Hot Plug Models: One available PCI-Express slot: Slot 1: half-length/full-height PCI-Express 2.0 x16 Slot 2: low-profile internal only PCI-Express 2.0 x4 - slot populated by the SAS/SATA storage controller
NIC	HP NC362i Integrated Dual Port Gigabit Server Adapter
Form Factor	Rack (1U)
Management	HP ProLiant Onboard Administrator (powered by the HP Integrated Lights-Out 100i Baseboard Management Controller) with optional LO100i Advanced Licenses for The HP ProLiant Easy Set-up CDs and ISO image downloads offer Assisted and Manual single server installation, setup, and deployment capability. Capabilities provided are AutoRun, Assisted Installation Microsoft Windows 2003 Server and Microsoft Windows 2008 Server, OS and OSW available for Manual Installation are Power supply (500 Watts - standard, other PS options available)
Power Supply	6 system fans ship standard; Non-hot plug, Non-redundant
Fans	
O/S Supported	Microsoft Windows Server Microsoft Windows Server Hyper V Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES) Solaris 10 for x86/x64 based Systems Citrix Essentials for XenServer (Retail) Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information
Warranty	3 Years Next Day Parts Replacement 0 Years Labour 0 Years Onsite

Terms and Conditions / Remarks :

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.
3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.
5. Additional add on of components is only certified as per the product data sheet

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

Part Number	Description	Qty	Price (RM)
HP ProLiant ML350 G6			
107UW69	487932-371 ML350T06 E5504 LFF Entry Svr AP	1	
	462967-B21 HP 512MB P-Series BBWC Upgrade	1	
	384854-B21 HP 146GB 3G SAS 15K 3.5" DP HDD	3	
	496029-B21 HP 15 POS 24in SFP Battery Cable Assy	1	
			9643.45
Promotion Model Specification			
Processor	(1) Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)		
Memory	4 GB (2 x 2 GB) PC3-10600R (DDR3-1333) Registered DIMMs		
Network Controller	Embedded NC326i PCI Express Dual Port Gigabit Server Adapter		
Storage Controller	HP Smart Array P410i/Zero Memory Controller		
Hard Disk	None Shipped Standard		
Power Supply	(1) 460 Watt Hot-Plug (Redundancy enabled) power supply		
Optical Drive	HP Half-Height SATA DVD-ROM Optical Drive		
Form Factor	Tower (5U)		
Part Number	Description	Qty	Reseller Price (RM)
Operating System			
107IR94	468724-B21 MS W2008 Srv Std ROK Eng SW	1	1796.32
	505536-B21 MS W2008 EBS Std ROK Eng SW	1	17139.20
Processor			
107UQ70	495918-B21 Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)	1	2616.14
Memory			
107UH05	500656-B21 HP 2GB 2Rx8 PC3-10600R-9 Kit	1	385.55
107UC87	500658-B21 HP 4GB 2Rx4 PC3-10600R-9 Kit	1	731.49
	500660-B21 HP 4GB 4Rx8 PC3-8500R-7 LP Kit	1	877.09
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#in "			
Optical Drives			
107HC50	447328-B21 HP Half-Height SATA DVD RW Optical Drive	1	280.72
Hard Drives			
107TG81	384854-B21 HP 146GB 3G SAS 15K 3.5" DP ENT HDD	1	1528.22
107HF66	416127-B21 HP 300GB 15K SAS 3.5 DP HDD	1	2451.90
107TX90	454232-B21 HP 450GB 3G SAS 15K 3.5" DP HDD	1	2949.27
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#in "			
Communications			
107UF88	503746-B21 HP NC112T PCIe Gigabit Server Adapter	1	195.69
107BU44	412648-B21 HP NC360T PCI Express Dual Port Gigabit Server Adapter	1	560.27
	394793-B21 HP NC373F PCI Express Multifunction Gigabit Server Adapter	1	1302.25
107CR39	394791-B21 HP NC373T PCI Express Multifunction Gigabit Server Adapter	1	718.68
107SL91	458492-B21 HP NC382T PCI Express Dual Port Multifunction Gigabit Server Adapter	1	563.76
Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#in "			
Storage Controller			
107TG82	462967-B21 512MB BBWC	1	1171.79

Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement

Remark : 2. HP Product Bulletin is available at "<http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#in>

Power Supply

107TG83	503296-B21	HP 460W CS HE Power Supply Kit	1	834.00
107VV21	512327-B21	HP 750W CS HE Power Supply Kit	1	1000.56
	500172-B21	HP 1200W HE 12V Hotplg AC Pwr Supply Kit	1	1169.46

Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement

Remark : 2. HP Product Bulletin is available at "<http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#in>

Others

107WD57	534534-B21	HP ML350G6 Tower to Rack Conversion Kit	1	733.82
107VV20	515081-B21	HP ML350 G6 Redundant Fan/Baffle Kit	1	167.73
	488413-B21	HP ML350 G6 2 Slot PCI-X Riser Kit	1	561.43

Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement

Remark : 2. HP Product Bulletin is available at "<http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#in>

General HP ProLiant ML350 G6 Features and Specifications

HP ProLiant ML350 G6

CPU	Up to two Quad-Core/Dual-Core Intel® Xeon® 5500 processors
Chipset	Intel® 5520 chipset
No. of Processor	Upgradeable to two processors (dual or quad-core)
Cache	8MB (1 x 8MB) Level 3 cache (For processors X5570/X5560/X5550/E5540/E5530/E5520/L5520) 4MB (1 x 4MB) Level 3 cache (NOTE: For processors E5506/E5504/E5502/L5506)
Graphics	Integrated ATI RN50, 64MB video standard
Memory	DDR3 Registered (RDIMM) and Unbuffered (UDIMM) Maximum (RDIMM) : 144 GB (18 x 8 GB) for Registered Memory configurations Maximum (UDIMM) : 24 GB (12 x 2 GB) for Unbuffered Memory configurations <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configura</i>
Storage Controller (Options)	Entry Model : HP Smart Array P410i/Zero Memory Controller (RAID 0/1/1+0) Base Models : HP Smart Array P410i/256MB Controller (RAID 0/1/1+0/5/5+0) Performance Models : HP Smart Array P410i/512 MB BBWC Controller (RAID 0/1/1+0/5/5+0/6) Available upgrades: 256MB, 512MB with BBWC, Battery kit upgrade (for BBWC), and Smart Array Advanced Pack (SAAP)
Max. of Hot Plug Drive (Options)	Hot Plug LFF SATA 8TB 8 x 1TB Hot Plug LFF SAS 8TB 8 x 1TB Hot Plug SFF SATA 4TB 16 x 250GB Hot Plug SFF SATA 4.8TB 16 x 300GB <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configura</i>
Diskette Drive	None Shipped Standard
CD-ROM	HP Half-Height SATA DVD-ROM Optical Drive
I/O Expansion	Six total expansion slots One PCI-Express x16 Gen2 (x8 speed); One PCI-Express x8 Gen2 (x8 speed); Four PCI-Express x8 Gen2 (x4 speed) Optional PCI-X Expander provides additional two 64-bit/100-MHz PCI-X slots by using a single PCI Express slot
NIC	Embedded NC326i PCI Express Dual Port Gigabit Server Adapter
Form Factor	Tower or Rack (5U)
Management	HP ProLiant Onboard Administrator (powered by the Integrated Lights-Out 2 management processor) for simplified server setup, health monitoring and recovery, power and thermal control, and lights out remote administration Integrated Lights-Out 2 Advanced unlocks the full capabilities of the ProLiant Onboard Administrator with high performance Integrated Remote Console, multi-user console sharing, video record and replay, and virtual media, including
Power Supply	Dual Common Slot Bay for Right Sized, Hot plug and Redundant Power options HP 1200W CS HE Silver Power Supply (optional) HP 750W CS HE Gold Power Supply (standard on some models) HP 460W CS HE Gold Power Supply (standard on some models)
Fans	2 fans ship standard, 1 included in Processor kit and Optional Redundant Fan Kit (1)
O/S Supported	Microsoft Windows Server Microsoft Windows Server Hyper-V Red Hat Enterprise Linux (RHEL) SUSE Linux Enterprise Server (SLES)

Warranty

NetWare

VMware

HP Citrix Essentials for XenServer

Remark : Please refer to Quickspec in HP Product Bulletin for detailed configura

3 Years Next Day Parts Replacement | 3 Years Labour | 3 Years Onsite Next Business Day

Terms and Conditions / Remarks :

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.
3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.
5. Additional add on of components is only certified as per the product data sheet

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

Part Number	Description	Qty	Price (RM)	Remarks
HP ProLiant DL380 G6				
107RJ71	491505-371	DL380 G6 E5504 Entry AP Svr	1	
	481041-B21	HP Slim 12.7mm SATA DVD Optical Kit	1	
	504062-B21	HP 146GB 3G SAS 15K SFF DP ENT HDD	3	
	462967-B21	HP 512MB P-Series BBWC Upgrade	1	
	496029-B21	HP 15 POS 24in SFP Battery Cable Assy	1	
			\$ 10,802	

Promotion Model Specification

Processor	(1) Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)
Memory	4 GB (2 x 2 GB) PC3-10600R (DDR3-1333) Registered DIMMs
Network Controller	Two HP NC382i Dual Port Multifunction Gigabit Server Adapters
Storage Controller	HP Smart Array P410i/Zero Memory Controller
Hard Disk	None Shipped Standard
Power Supply	(1) 460W Hot Plug Power Supply
Optical Drive	None Shipped Standard
Form Factor	Rack (2U)

DL380 Generation 6

107RJ54	491324-371	DL380 G6 E5530 Base AP Svr	1	
	481041-B21	HP Slim 12.7mm SATA DVD Optical Kit	1	
	504062-B21	HP 146GB 3G SAS 15K SFF DP ENT HDD	3	
	<i>GX007AA</i>	<i>HP L2208w 22-inch Widescreen LCD Monitor</i>	1	FOC HP L2208w 22-inch Widescreen LCD Monitor - While stock lasts - 14 Units left
			\$ 14,829	

Promotion Model Specification

Processor	(1) Intel® Xeon® Processor E5530 (2.40 GHz, 8MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/2/2)
Memory	6 GB (3 x 2 GB) PC3-10600R (DDR3-1333) Registered DIMMs
Network Controller	Two HP NC382i Dual Port Multifunction Gigabit Server Adapters
Storage Controller	HP Smart Array P410i/256MB Controller
Hard Disk	None Shipped Standard
Power Supply	(1) 460W Hot Plug Power Supply
Optical Drive	None Shipped Standard
Form Factor	Rack (2U)

Part Number	Description	Qty	Reseller Price (RM)	Remarks
Operating System				
107IR94	468724-B21	MS W2008 Srv Std ROK Eng SW	1	\$ 2,541 Selling at End user price

1,831 RM1888. Valid from **30th Nov until 31st Dec 09** or **while stock lasts**. Special bid & project deals are not eligible

	505536-B21	MS W2008 EBS Std ROK Eng SW	1	17,472
	Processor			
107VA96	492136-B21	Intel® Xeon® Processor E5504 (2.00 GHz, 4MB L3 Cache, 80W, DDR3-800)	1	2,453
107SO31	492237-B21	Intel® Xeon® Processor E5530 (2.40 GHz, 8MB L3 Cache, 80W, DDR3-1066, HT, Turbo 1/1/:	1	5,580
	Memory			
107UH05	500656-B21	HP 2GB 2Rx8 PC3-10600R-9 Kit	1	361
107UC87	500658-B21	HP 4GB 2Rx4 PC3-10600R-9 Kit	1	686
	500660-B21	HP 4GB 4Rx8 PC3-8500R-7 LP Kit	1	822
	Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
	Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "			
	Optical Drives			
	481043-B21	HP Slim SATA DVD RW Optical Drive	1	385
	Hard Drives			
107RZ08	504062-B21	HP 146GB 15K 2.5 SAS DP HDD	1	1,488
107PK30	492620-B21	HP 300GB 10K SAS 2.5 DP HDD	1	1,995
	Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
	Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "			
	Communications			
107UF88	503746-B21	HP NC112T PCIe Gigabit Server Adapter	1	183
107BU44	412648-B21	HP NC360T PCI Express Dual Port Gigabit Server Adapter	1	525
	394793-B21	HP NC373F PCI Express Multifunction Gigabit Server Adapter	1	1,221
107CR39	394791-B21	HP NC373T PCI Express Multifunction Gigabit Server Adapter	1	674
107SL91	458492-B21	HP NC382T PCI Express Dual Port Multifunction Gigabit Server Adapter	1	529
	Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
	Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "			
	Riser Cards			
	500579-B21	HP DL380G6 3 Slot PCI-E Riser Kit	1	287
107WU03	494322-B21	HP DL385G5p PCI-X Riser Kit	1	359
	494323-B21	HP DL385G5p PCI-E Riser Kit	1	287
	Storage Controller			
107TG82	462967-B21	512MB BBWC	1	1,099
	Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
	Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "			
	Power Supply			
107TG83	503296-B21	HP 460W CS HE Power Supply Kit	1	782
107VV21	512327-B21	HP 750W CS HE Power Supply Kit	1	938
	500172-B21	HP 1200W HE 12V Hotplg AC Pwr Supply Kit	1	1,096
	Remark : 1. Please refer to Quickspec in HP Product Bulletin for detailed configuration information and requirement			
	Remark : 2. HP Product Bulletin is available at " http://h18000.www1.hp.com/products/quickspecs/productbulletin.html#intro "			

General HP ProLiant DL380 G6 Features and Specifications

HP ProLiant DL380 G6

CPU	Up to 2 Quad-Core or Dual-Core Intel® Xeon® processor 5500 sequence)
Chipset	Intel® 5520 Chipset
No. of Processor	Upgradeable to two processors (dual or quad-core)
Cache	8MB (1 x 8MB) Level 3 cache NOTE: All processor models except for those identified below. 4MB (1 x 4MB) Level 3 cache NOTE: For processors E5506/L5506/E5504/E5502.

Graphics	Integrated ATI ES1000, 32MB video standard 16 bit color: maximum resolution of 1600 x 1200 32 bit color: maximum resolution of 1280 x 1024
Memory	DDR3 Registered (RDIMM) and Unbuffered (UDIMM) Maximum (RDIMM) 144 GB (18 x 8 GB) for Registered Memory configurations Maximum (UDIMM) 24 GB (12 x 2 GB) for Unbuffered Memory configurations <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
Storage Controller (Options)	Entry Models HP Smart Array P410i/Zero Memory Controller (RAID 0/1/1+0) Base Models HP Smart Array P410i/256 MB Controller (RAID 0/1/1+0/5/5+0) Performance Models HP Smart Array P410i/512 MB BBWC Controller (RAID 0/1/1+0/5/5+0/6) High Efficiency Models HP Smart Array P410i/Zero Memory Controller (RAID 0/1/1+0) Available upgrades: 256MB, 512MB with BBWC, Battery kit upgrade (for BBWC), and Smart Array Advanced Pack (SAAP)
Max. of Hot Plug Drive (Options)	Hot Plug SFF SAS 4.80TB 16 x 300GB Hot Plug LFF SAS 6.0TB 6 x 1TB <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
Diskette Drive	None Shipped Standard
CD-ROM	None Standard on Entry, High Efficiency, and Base Models HP Slim SATA DVD RW Optical Drive Standard on Performance Models
I/O Expansion	<i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
NIC	Two HP NC382i Dual Port Multifunction Gigabit Server Adapters (four ports total) with TCP/IP Offload Engine, including support for Accelerated iSCSI
Form Factor	Rack (2U)
Management	HP ProLiant Onboard Administrator (powered by the Integrated Light-Out 2 management processor) for simplified server setup, health monitoring and recovery, power and thermal Integrated Lights-Out 2 Advanced unlocks the full capabilities of the ProLiant Onboard Administrator with high performance Integrated Remote Console, multi-user console sharing,
Power Supply	Dual Common Slot Bay for Right Sized, Hot plug and Redundant Power options HP 1200W CS HE Silver Power Supply (optional) HP 750W CS HE Gold Power Supply (standard on some models) HP 460W CS HE Gold Power Supply (standard on some models) HP 48V DC Power Supply (optional)
Fans	Fully redundant hot plug fans (N+1)
O/S Supported	Supports Windows, RHEL, SLES, OEL, Solaris, NetWare, VMware, and HP Citrix Essentials for XenServer <i>Remark : Please refer to Quickspec in HP Product Bulletin for detailed configuration information</i>
Warranty	3 Years Next Day Parts Replacement 3 Years Labour 3 Years Onsite Next Business Day

Terms and Conditions / Remarks :

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.
3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.
5. Additional add on of components is only certified as per the product data sheet

Promotion Period : 15th Nov 2009 to 15th Jan 2010

End-user Promotions

Promotion

Purchase Enclosure bundle with Virtual Connect/ Procurve Network Module- **Free 2xBL460c 2.26Ghz Blades**
(Option of **Free HP Mini/Windows 7 OS/Shopping Voucher - Any Blade Enclosure Bundle**)
Purchase with Purchase Promotion - **Free Additional RM1000 Shopping Voucher.**

Special Note:

1. Maximum 8xBL460cG6/8xBL490cG6/4xBL680cG5 blade servers per c3000 enclosure. Can mix BL460c,BL490c and BL680c blades in same enclosure.
2. Maximum 16xBL460cG6/16xBL490cG6/8xBL680cG5 blade servers per c7000 enclosure. Can mix BL460c,BL490c and BL680c blades in same enclosure.
3. Bundle price excluding Installation and services
4. Blade enclosure come standard with 3-year Next BusinessDay on site warranty (within HP Service area)

Part Number	Description	Free/Pre-Bundle	Qty	Price (RM)
HP c-Class c7000 & c3000 enclosure Bundle				
c7000 Enterprise Bundle with Virtual Connect Flex-10				
507015-B21	HP BLc7000 1PH 6PS 10 Fan FL ROHS ICE		1	
455880-B21	HP BLc VC Flex-10 Enet Module Opt		1	
453154-B21	HP BLc VC 1Gb RJ-45 SFP Opt Kit		4	
NH568PA	HP Slim External DVD-RW UK+Euplug		1	
Free (Level 1)				
507782-B21	HP BL460c G6 E5520 6G 1P Svr		2	
507127-B21	HP 300GB 6G SAS 10K 2.5in DP ENT HDD		4	
Free (Level2)				
(HP Mini 110-1038 PU PC / MS Windows 7 OS / shopping voucher - Isetan/Tesco/Jaya Jusco)				

Note: Come with Fully populated Power Supply and Active Fans.
Free complete 16 units of HP Insight Control Management Suite.

47895

c3000 Blade Starter Kit Bundle (come with lifetime Warranty element*)

508664-B21	HP BLc3000 4 AC-6 Fan Full ICE	1
437575-B21	HP BLc3000 KVM Option	1
498358-B21	HP ProCurve 6120G/XG Blade Switch*	1
453154-B21	HP BLc VC 1Gb RJ-45 SFP Opt Kit	2
507782-B21	HP BL460c G6 E5520 6G 1P Svr	2
507127-B21	HP 300GB 6G SAS 10K 2.5in DP ENT HDD	4

Free (Level 1)

Free (Level2)

(HP Mini 110-1038 PU PC / MS Windows 7 OS / shopping voucher - Isetan/Tesco/Jaya Jusco)

Note: Come with 4x Power Supply and fully populated Fans.
Free complete 8 units of HP Insight Control Management Suite.

33164.97

Visit: <http://h18004.www1.hp.com/products/blades/bladessystem/index.html>

HP c-Class Purchase with Purchase Promotion

Vmware vSphere EPlus 1P with Gold Support

571774-B21	VMware vSphere EPlus 1P 1yr9x5 Nm Lic	1
------------	---------------------------------------	---

Free
(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)

10783.07

Redundant Flex-10 Module for c7000 bundle

455880-B21	HP BLc VC Flex-10 Enet Module Opt	1
453154-B21	HP BLc VC 1Gb RJ-45 SFP Opt Kit	2

Free

(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)

26220.71

Redundant Procurve for c3000 bundle

498358-B21	HP ProCurve 6120G/XG Blade Switch	1	
453154-B21	HP BLc VC 1Gb RJ-45 SFP Opt Kit	2	
	Free		
	(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)		
			12051

	HP 1/8 G2 LTO-3 & LTO-4 Autoloader bundles		
AH558A	HP 1/8 G2 LTO-3 Ultrium 920 SAS Tape Autoloader	1	
C7973A	HP LTO 3 data cartridge, 800GB	10	
	Free		
	(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)		
			13350.89815

AH165A	HP 1/8 G2 LTO-3 Ultrium 920 G2 SCSI Tape Autoloader	1	
C7973A	HP LTO 3 data cartridge, 800GB	10	
	Free		
	(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)		
			13350.89815

AK377A	HP 1/8 G2 LTO-4 Ultrium 1760 SAS Autoloader	1	
C7974A	HP LTO 4 data cartridge, 1.6TB	10	
	Free		
	(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)		
			14924.7

AJ816A	HP 1/8 G2 LTO-4 Ultrium 1760 SCSI Tape Autoloader	1	
C7974A	HP LTO 4 data cartridge, 1.6TB	10	
	Free		
	(Additional RM1000 Shopping Voucher -Isetan/Tesco/Jaya Jusco)		
			15258.30556

HP c-Class Option Upgrade (all in per unit price)

Server Unit & CPU Kit upgrade		
507782-B21	HP BL460c G6 E5520 6G 1P Svr	1 8675.52
507799-B21	HP E5520 BL460c G6 Kit	1 2356.48
Hard Disk Options		
507610-B21	HP 500GB 6G SAS 7.2K 2.5in MDL HDD	1 1238.72
507127-B21	HP 300GB 6G SAS 10K 2.5in DP ENT HDD	1 1190.56
c3000 Optrions		
437572-B21	HP 1200W 12V Hotplug AC Power Supply	1 590.24
488100-B21	HP BLc3000 Dual DDR2 Onboard Admin Kit	1 1299.2
HBA Card		
451871-B21	HP BLc QLogic QMH2562 8Gb FC HBA Opt	1 1358.56
Virual Connect Fiber Channel Module (SAN)		
466482-B21	HP BLc VC-FC 8Gb 24-Port Opt Kit	1 20807.36
AJ716A	HP 8Gb Shortwave B-series FC SFP+ 1 Pack	1 490.56
AJ837A	HP 15m Multi-mode OM3 LC/LC FC Cable	1 211.68
572018-B21	HP BLc VC 8Gb FC 20-Port Opt Kit	1 17166.24
AJ718A	HP 8Gb Short Wave FC SFP+ 1 Pack	1 311.36
Fiber Pass-Thru Module (4Gb)		
403626-B21	HP BLc 4Gb FC Pass Thru Module	1 7201.6

Terms and Conditions + Important Notes:

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.
3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

Part Number	Description	Qty	Fulfillment Route	Price (RM)
HP Uninterruptible Power Systems (UPS)				
AF447A	HP T750 G5 INTL UPS	1		
157216-031	Power Cord, UK, 10A 250V IEC13 3.7m	1		
			Channel Partners & Direct Team	790.27
AF449A	HP T1000 G3 INTL UPS	1		
157216-031	Power Cord, UK, 10A 250V IEC13 3.7m	1		
			Channel Partners & Direct Team	1117.20
AF451A	HP T1500 G3 INTL UPS	1		
157216-031	Power Cord, UK, 10A 250V IEC13 3.7m	1		
			Channel Partners & Direct Team	1482.94
AF418A	HP R1500 VA UPS, 1U, INTL	1		
157216-031	Power Cord, UK, 10A 250V IEC13 3.7m	1		
			Channel Partners & Direct Team	2544.86

Features and Specifications

HP Uninterruptible Power Systems (UPS)



Part Number	AF447A	AF449A	AF451A	AF418A
Model Name	HP T750 G5 INTL UPS	HP T1000 G3 INTL UPS	HP T1500 G3 INTL UPS	HP R1500 VA UPS, 1U, INTL
Output Power (VA / Watts)	750 VA / 500 W	1000 VA / 670 W	1500 VA / 950 W	1500 VA / 1000 W
Operating Voltage	220V, 230V, 240V	220V, 230V, 240V	220V, 230V, 240V	220V, 230V, 240V
Input Connection	IEC- 60320 C13	IEC 320 C13	IEC- 60320 C13	IEC-320 C14
Output Connection	(4) IEC 320 C14	(6) IEC 320 C14	(4) IEC 320 C14	(4) IEC 320-C13
Battery Type	Valve Regulated Lead Acid (VRLA)	Valve Regulated Lead Acid (VRLA)	Valve Regulated Lead Acid (VRLA)	Valve Regulated Lead Acid (VRLA)

Recharge Time	<3 hours to 90% usable capacity; <24 hours for complete recharge	<3 hours to 90% usable capacity; <24 hours for complete recharge	<3 hours to 90% usable capacity; <24 hours for complete recharge	<4 hours to 90% usable capacity; <24 hours for complete recharge
Communications	Serial & USB	Serial & USB	Serial & USB	Serial & USB
Estimated Battery Runtime @ 100% Battery Charged	50% Load (250 Watts) @ 15 minutes 100% Load (500 Watts) @ 5 minutes	50% Load (335 Watts) @ 15 minutes 100% Load (670 Watts) @ 5 minutes	50% Load (335 Watts) @ 15 minutes 100% Load (670 Watts) @ 5 minutes	20% Load (200 Watts) @ 58 minutes 50% Load (500 Watts) @ 17 minutes 80% Load (800 Watts) @ 8 minutes 100% Load (1000 Watts) @ 5 minutes

Terms and Conditions / Remarks :

1. HP reserves the right to extend or terminate the above promotion anytime as it deems fit
2. All the above pricing are subject to changes without prior notice.
3. The above promo sheet supersedes all the previous promo sheet.
4. Other terms and conditions apply.
5. Additional add on of components is only certified as per the product data sheet

Promotion Period : 30th November 2009 - 31st December 2009 (unless specified)

HP Ultimate Business Protection

PROMOTION SKUs

Entitlement: All FINAL TIER resellers (MFT + Non MFT)

TIPS!

1) Always propose ALL HP Tape Drive with **FREE DPX (HP Data Protector Express Single-Server Edition for Windows)** as a value added selling point.

2) Upsell DPX Single Server Edition to Full Version at very low cost!

3) HP StorageWorks Tape Drive & Autoloader offer unique features, HP OBDR (One-Button-Disaster-Recovery) EASY AND QUICK RESTORE

Product Number	Product Description	QTY	Price (RM)
HP DAT Tape Drive & DAT Autoloader			
DW026A	HP DAT 72 USB internal	1	2153.54
C8010A	HP DAT 72 data cartridge,72GB	5	
DW027A	HP DAT 72 USB external	1	2233.12
C8010A	HP DAT 72 data cartridge,72GB	5	
Options for USB Tape Drive:			
A8007A	StorageWorks 1U USB Rackmount Kit	1	1885.42
Q1522B	HP DAT 72 SCSI internal	1	2315.15
C8010A	HP DAT 72 data cartridge,72GB	5	
Q1523B	HP DAT 72 SCSI external	1	2646.94
C8010A	HP DAT 72 data cartridge,72GB	5	
Options for SCSI Tape Drive:			
374654-B21	64-Bit/133-MHz Single Channel Ultra320 SCSI HBA (PCI-X)	1	550.94
412911-B21	SC11Xe SCSI Host Bus Adapter (PCI-E)	1	710.09
396114-B21	1U USB Cable Option Kit	1	324.44
A7445B	HP StorageWorks 1U SCSI Rack-Mount Kit	1	2154.77
General Options :			
C8010A	HP DAT 72 data cartridge,72GB	1	51.09
C8015A	HP DDS/DAT Cleaning Cartridge II	1	122.54
BB117BT	HP Data Protector Express [upgrade from Single-Server Edition]	1	807.72
HP StorageWorks Ultrium Tape Drive (LTO)			
Half Height Ultrium Tape Drive			
DW016A	HP Ultrium 448 Internal SCSI Tape Drive	1	5786.04
C7972A	HP LTO 2 data cartridge, 400GB	5	
DW017B	HP Ultrium 448 External SCSI Tape Drive	1	6461.86
C7972A	HP LTO 2 data cartridge, 400GB	5	
EH841A	HP Ultrium 920 Internal SCSI Tape Drive	1	6714.06
C7973A	HP LTO 3 data cartridge, 800GB RW	5	
EH842A	HP Ultrium 920 External SCSI Tape Drive	1	7339.68
C7973A	HP LTO 3 data cartridge, 800GB RW	5	

	Options for SCSI Tape Drive:		
374654-B21	64-Bit/133-MHz Single Channel Ultra320 SCSI HBA (PCI-X)	1	550.94
412911-B21	SC11Xe SCSI Host Bus Adapter (PCI-E)	1	710.09
396114-B21	1U USB Cable Option Kit	1	324.44
A7445B	HP StorageWorks 1U SCSI Rack-Mount Kit	1	2154.77
	Half Height Ultrium Tape Drive		
DW085A	HP Ultrium 448 Internal SAS Tape Drive	1	5786.04
C7972A	HP LTO 2 data cartridge, 400GB	5	
DW086A	HP Ultrium 448 External SAS Tape Drive	1	6461.86
C7972A	HP LTO 2 data cartridge, 400GB	5	
EH847A	HP Ultrium 920 Internal SAS Tape Drive	1	6362.69
C7973A	HP LTO 3 data cartridge, 800GB RW	5	
EH848A	HP Ultrium 920 External SAS Tape Drive	1	7240.51
C7973A	HP LTO 3 data cartridge, 800GB RW	5	
	Options for SAS Tape Drive:		
416096-B21	HP SC44Ge SAS Host Bus Adapter (PCI-e)	1	590.11
AE468A	4M External SAS (SFF8470) to Mini SAS (SFF8088) 1x SAS Cable	1	381.98
AE459A	HP 1U SAS Rack Mount Kit	1	2424.11
	SAS LTO to connect Proliant G6:		
462828-B21	HP Smart Array P212/Zero Memory Controller	1	749.42
AP746A	HP Mini-SAS Cable for LTO Int Tape Drive (for Internal Drive)	1	173.84
AE470A	HP SAS Min-Min 1 x 2M Cable Assy Kit (for External Drive)	1	500.05
	General Options :		
C7972A	HP LTO 2 data cartridge, 400GB	1	148.82
C7973A	HP LTO 3 data cartridge, 800GB RW	1	162.50
C7978A	HP LTO universal cleaning cartridge	1	352.24
BB117BT	HP Data Protector Express [upgrade from Single-Server Edition]	1	807.72

NOTE:

* All pricing and promotions are subjected to changes with prior notice.

* The above promo sheet supersedes all the previous price or promo sheet

Promotion Period : 1st December 2009 to 31st January 2010

HP Part Number	Description	Vmware Equilavent SKU	Price (RM)
	vSphere 4 Essentials		
571778-B21	VMware vSphere 4 Essentials Bundle for 3 hosts (Max 2 processors per host and 6 cores per processor) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VS4-ESSL-BUN-C + VS4-ESSL-SUB-C	2871.64
	vSphere 4 Essentials Plus		
571779-B21	VMware vSphere 4 Essentials Plus Bundle for 3 hosts (Max 2 processors per host and 6 cores per processor) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VS4-ESSL-PL-BUN-C + VS4-ESSL-PL-BUN-G-SSS-C	10565.74
	vSphere 4 Standard		
571772-B21	VMware vSphere 4 Standard for 1 processor (Max 6 cores per processor) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VS4-STD-C + VS4-STD-G-SSS-C	2799.54
	vSphere 4 Advance		
571773-B21	VMware vSphere 4 Advanced for 1 processor (Max 12 cores per processor) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VS4-ADV-C + VS4-ADV-G-SSS-C	7746.63
	vSphere 4 Enterprise		
573210-B21	VMware vSphere 4 Enterprise for 1 processor (Max 6 cores per processor) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VS4-ENT-C + VS4-ENT-G-SSS-C	10034.26
	vSphere 4 Enterprise Plus		
571774-B21	VMware vSphere 4 Enterprise Plus for 1 processor (Max 12 cores per processor) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VS4-ENT-PL-C + VS4-ENT-PL-G-SSS-C	12285.84
	vCenter Foundation		
576261-B21	VMware vCenter Server 4 Foundation for vSphere up to 3 hosts bundle with 1Yr 9x5 Gold Support/Subscription from HP	VCS-FND-C + VCS-FND-G-SSS-C	5716.50
	vCenter Standard		
571780-B21	VMware vCenter Server 4 Standard for vSphere (Includes Orchestrator and Linked Mode) bundle with 1Yr 9x5 Gold Support/Subscription from HP	VCS-STD-C + VCS-STD-G-SSS-C	17734.54
	vCenter Server Heartbeat for 1 vCenter Server		
573214-B21	VMware vCenter Server Heartbeat for 1 vCenter Server bundle with 1Yr 9x5 Gold Support/Subscription from HP ;1 license is required for each vCenter Server that is protected.	VCHB-VCMS-C + VCHB-VCMS-G-SSS-C	35263.08

Remarks

- 1. Price above do not include installation services.***
- 2. HP-VMware OEM can be moved to a different server an unlimited amount of times, at any time, with no cost or penalty.***
- 3. HP-VMware OEM licenses are fully-featured product licenses.***