



64, 1st Floor
 Jalan USJ 1/33, USJ 1
 47600 Subang Jaya
 Selangor Darul Ehsan
 Tel no.: +603 8023 2733
 Fax no.: +603 8023 1733/3093



Product Name	Description	Status	Min Order Qty	Part Number	
Accessories					
Housings for PTZ/dome cameras and accessories					
AXIS T91A61 Wall Bracket	Wall Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes mounting plate. White.	New description		5017-611	377
AXIS T91A67 Pole Bracket	Pole Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes steel pole straps. White. Requires mounting tool Part no: 21776	Amended part number/ New description		5017-671	377
AXIS T91A64 Corner Bracket	Corner Bracket. Requires AXIS T91A61 Wall Bracket. For use with AXIS Q6032-E PTZ Dome Network Camera, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	New description		5017-641	302
AXIS Q6032-E Pendant Kit	With AXIS Q6032-E PENDANT KIT it is possible to mount the AXIS Q6032-E PTZ Dome Network Camera on standard '1,5" NPT threaded brackets. White.			5502-431	188
AXIS 295 Video Surveillance Joystick	Professional joystick for accurate control over network of all Axis pan/tilt/zoom and dome network cameras. Connects to PC workstation over USB. Features a three-axis Hall Effect joystick with X/Y-axis for positioning and turning knob for zoom, and twelve programmable push-buttons. NOTE! The joystick will not be supported in the web interface of 213, 214 and 23xD cameras until the 4.40 FW version released during Q2 2006.			0248-001	1,331
ACC DOME AXIS 233D CLEAR COVER	Clear plastic dome for AXIS 233D dome cameras	Description corrected. EOL Oct 1st, 2007. Replaced by 5500-601		5500-361	171
ACC DOME AXIS 233D SMOKED COVER	Smoked plastic dome for AXIS 233D dome cameras	EOL Oct 1st, 2007. Replaced by 5500-601		5500-371	171
ACC BRACKET OUTDOOR AXIS 233D	AXIS 233D mounting bracket for Video Alarm and Video Techs outdoor housing that are designed for AXIS 231/232D			5500-471	149
Junction cable for AXIS 231D/232D 1m	Cable between AXIS 231D/232D and junction box, optional accessory. 1m.			21786	98
Junction cable for AXIS 231D/232D 2m	Cable between AXIS 231D/232D and junction box, optional accessory. 2m.			21787	110
Junction cable for AXIS 231D/232D 5m	Cable between AXIS 231D/232D and junction box, optional accessory. 5m.			21788	165

Junction cable for AXIS 231D/232D 10m	Cable between AXIS 231D/232D and junction box, optional accessory. 10m.			21789	282
Cable AXIS 233D I/O Outdoor	Cable for I/O outdoor. 3.5 meter			28256	129
AXIS PS24 ACC mains adapter	24VAC power adapter for outdoor use together with 0216-001 or 0216-011	Price change		5000-001	655
ACC Wall Mount AXIS PS24	Metal box to mount AXIS PS24 to a wall.			5000-011	188
Pole Mount, Wide AXIS 231/232D	Out door pole mount, for use with AXIS PS24 Wall mount (5000-011)			21764	153
Mounting Tool for pole mounts AXIS 231/232D	Tool for steel strap tensioning. For use with 21764.			21776	552
Cable 1m for AXIS 231/232D outdoor housing	Outdoor cable - for connecting power supply and outdoor housing			21782	61
Cable 2m for AXIS 231/232D outdoor housing	Outdoor cable - for connecting power supply and outdoor housing			21783	74
Cable 5m for AXIS 231/232D outdoor housing	Outdoor cable - for connecting power supply and outdoor housing			21784	123
Cable 10m for AXIS 231/232D outdoor housing	Outdoor cable - for connecting power supply and outdoor housing			21785	215
AXIS 213CM Connection Module	Connection module for the AXIS 213 PTZ Network Camera. Provides two way, full duplex audio functionality, analog video out (for ceiling mounted camera), 2 alarm inputs and 3 outputs for the AXIS 213 PTZ. Cable included.			22581	377
AXIS 213 wall bracket	AXIS 213 WALL BRACKET allows mounting the AXIS 213 PTZ Network Camera on a wall, or other vertical surface.			5500-071	188
ACC Mount Bracket down AXIS 212PTZ-V	AXIS 212PTZ-V vertical tilt mount bracket. For AXIS 212PTZ network cameras. Powder coated aluminum. 37.7 degree downward angle.			5500-791	188
Videotec Dome Housing Trans DBH24K0F028	Dome housing for AXIS 213/214 PTZ Network Camera and AXIS 231D/231D+/232D/232D+/233D Network Dome Camera with clear bubble. Color: White. NOT FOR USA			0216-001	1,292
Videotec Dome Housing Smoked DBH24K0F022	Dome housing for AXIS 213/214 PTZ Network Camera and Axis 231D/231D+/232D/232D+/233D Network Dome Camera with smoked bubble. Color: White. NOT FOR USA			0216-011	1,292
Videotec Dome House Adapt AXIS 213 ODBH24H144	Adapter for AXIS 213 For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Other: With 230VAC heater /w fan			0216-021	655
Videotec Dome House Adapt AXIS 214 ODBH24H151	Adapter for AXIS 214 For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Other: With 230VAC heater /w fan			0216-111	695
Videotec Dome House Adapt AXIS 215 ODBH24H144	Adapter for AXIS 215 For use with: Videotec DBH24K0F022, DBH24K0F028 (Axis 0216-001, Axis 0216-011) Other: With 230VAC heater /w fan			0216-121	655
Videotec Dome House Ceiling Mount DBH03	Ceiling mount For use with: Videotec DBH24K0F022, DBH24K0F028 (AXIS 0216-001, AXIS 0216-011) Color: Black. NOT FOR USA			0216-031	530
Videotec Dome House Wall Mount DBH04	Wall mount For use with: Videotec DBH24K0F022, DBH24K0F028 (AXIS 0216-001, AXIS 0216-011) Color: Black. NOT FOR USA			0216-041	455

Videotec Dome House Parapet Mount DBH05	Parapet mount For use with: Videotec DBH24K0F022, DBH24K0F028 (AXIS 0216-001, AXIS 0216-011) Color: Black NOT FOR USA			0216-051	1,064
Videotec Dome House Pole Adapter DPTCH	Pole adapter For use with: Videotec DBH04 (AXIS 0216-041) Color: Black NOT FOR USA			0216-061	569
Videotec Dome House Corner Mount DCWGH	Corner mount For use with: Videotec DBH04 (AXIS 0216-041) Color: Black NOT FOR USA			0216-071	377
VT dome adapter for AXIS 231D/232D ODBH24H249	Adapter plate to mount AXIS 231/232 in Videotec's domehousing NOT FOR USA			0216-101	683
VT dome adapter for AXIS 233D ODBH24H249	Adapter plate to mount AXIS 233D in Videotec's domehousing. Includes cable 28256 for I/O. NOT FOR USA			0216-131	836
AXIS T95A00 Dome Housing	Dome housing for AXIS 213, 214, 215 PTZ Network Cameras and AXIS 231D+,232D+, 233D Dome Network Cameras. Includes clear and smoked bubble, heater with fan, power supply for network cameras. 100-240 VAC input.			5010-001	2,474
AXIS T95A10 Dome Housing	Dome housing for AXIS 213, 214, 215 PTZ Network Cameras and AXIS 231D+,232D+, 233D Dome Network Cameras. Includes clear and smoked bubble, heater with fan, power supply for network cameras 24VAC input. (Recommended power supply PS24)			5010-101	2,281
AXIS T95A61 Wall Bracket	Wall bracket for AXIS T95A00 and T95A10 dome housing.			5010-611	377
AXIS T95A62 Ceiling Bracket	Ceiling / Parapet bracket for AXIS T95A00 and T95A10 dome housing. Length: 48.5cm			5010-621	757
AXIS T95A63 Extension Bracket	Extension bracket for AXIS T95A00 and T95A10 dome housing. Used with AXIS T95A62 Ceiling / Parapet bracket. Length: 27 cm			5010-631	530
AXIS T95A64 Corner Bracket	Corner bracket for AXIS T95A00 and T95A10 dome housing. Requires AXIS T95A61 Wall bracket.			5010-641	337
AXIS T95A66 Rotation Bracket	Rotation bracket for AXIS T95A00 and T95A10 dome housing.Used with AXIS T95A62 Ceiling / Parapet bracket.			5010-661	337
AXIS T95A67 Pole Bracket	Pole bracket for AXIS T95A00 and T95A10 dome housing. Requires AXIS T95A61 Wall bracket.			5010-671	490
ACC Corner Mount AXIS 215 PTZ-E	Corner bracket for AXIS 215 PTZ-E.			5502-291	263
ACC Pole Mount AXIS 215 PTZ-E	Pole bracket for AXIS 215 PTZ-E.			5502-301	263
Fixed/dome cameras accessories					
AXIS P33 Series Pendant Kit	With AXIS P33 Series PENDANT KIT it is possible to mount the AXIS P3343, AXIS P3343-V, AXIS P3344 and AXIS P3343-V Fixed Dome Network Camera on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	New description		5502-351	149
AXIS P33-VE Series Pendant Kit	With AXIS P33-VE Series PENDANT KIT it is possible to mount the AXIS P3343-VE and AXIS P3344-VE Fixed Dome Network Camera on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	New description		5502-321	188
Drop Ceiling Mount for AXIS P33 Series Clear	Drop ceiling mount for AXIS P3343 and AXIS P3344 including clear transparent bubble. For indoor use	New		5502-361	263
Drop Ceiling Mount for AXIS P33 Series Smoked	Drop ceiling mount for AXIS P3343 and AXIS P3344 including smoked transparent bubble. For indoor use	New		5502-371	263

Mounting Plate for AXIS P33 Series	Mounting plate for AXIS P3343, AXIS P3343-V, AXIS P3344 and AXIS P3344-V. Used when mounted on a single or double gang box.	New		5502-401	109
1.5 inch to M30 Male adapter	Adapter to convert M30 to 1.5" thread. Used to convert VT Dome mounts to 1.5" NPT thread. Black color.			5502-441	74
AXIS 225FD PENDANT KIT	With AXIS 225FD PENDANT KIT it is possible to mount the AXIS 225FD Network Camera on AXIS T91A Brackets, VT Dome mounts and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black	New description		5500-381	302
AXIS 225FD PENDANT KIT BLACK 1,5"NPT	With AXIS 225FD PENDANT KIT 1,5"NPT it is possible to mount the AXIS 225FD Network Camera on AXIS T91A Brackets and on 1,5" NPT threaded brackets. Black	New description		5502-001	263
Drop ceiling mount for AXIS 225FD	Drop ceiling mount for AXIS 225FD			5003-001	377
Smoked dome glass for AXIS 225FD	Smoked dome glass for AXIS 225FD			5003-011	223
Casing for AXIS 216FD/216MFD/P3301, smoked	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301			5005-001	109
Casing for AXIS 216FD/216MFD/P3301 black, clear	Interchangeable black casing for AXIS 216FD/216MFD/P3301 with transparent cover.			5500-821	109
Casing for AXIS 216FD/216MFD/P3301 black, clear 10pcs	Interchangeable black casing for AXIS 216FD/216MFD/P3301 with transparent cover. 10-pack.			5500-771	1,064
AXIS 216FD/216MFD/P3301 +V PENDANT KIT BLACK	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD and P3301 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black	New description		5500-881	188
AXIS 216FD/216MFD/P3301 (-V) PENDANT KIT BLACK 1,5"NPT	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD and AXIS P3301 Network Cameras on AXIS T91A Brackets and on 1,5"NPT threaded brackets. Black	New description		5502-011	149
AXIS 216FD/216MFD/P3301 (-V) PENDANT KIT WHITE	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD and P3301 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. White	New description		5500-891	188
AXIS 216FD/216MFD/P3301 (-V) PENDANT KIT WHITE 1,5"NPT	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD and AXIS P3301 Network Cameras on AXIS T91A Brackets and on 1,5"NPT threaded brackets. White	New description		5502-021	
Drop ceiling mount for AXIS 216FD/216MFD/P3301, clear	Drop ceiling mount kit for AXIS 216FD/216MFD including clear transparent cover			5005-031	223
Drop ceiling mount for AXIS 216FD/216MFD/P3301, smoked	Drop ceiling mount kit for AXIS 216FD/216MFD/P3301 including smoked transparent cover			5005-041	223
Vandal-resistant casing for AXIS 216FD-V/ 216MFD-V, P3301-V smoked	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P3301 to an AXIS 216FD-V/216MFD-V/P3301-V			5005-061	263
AXIS 290A Outdoor Housing	Tailor-made aluminum outdoor housing for AXIS 211, 211A and 221 Network Cameras. Heater and sunshield included.	EOL Oct 1st, 2007		0180-001	1,462
Mains adapter AXIS 290A	Mains adapter AXIS 290A, spare part.	EOL, no stock. Moved to Spare parts		5500-021	368

Camera mounting board AXIS 290A/290B	Mounting board AXIS 290A/290B, spare part.	EOL. Moved to Spare parts		5500-031	101
Videotec Verso Housing HPV42K1A000	Polycarbonate outdoor housing for the AXIS 210 (indoor only), 211, 211A and 221 Network Camera. Heater and sunshield included, bracket and power supply not included. NOT FOR USA			0217-001	490
Videotec Power Supply OHEPS19	Wide range power supply. For use with Videotec HPV42K1A000 (Axis 0217-001), for internal mounting to power the camera. NOT FOR USA			0217-011	201
VT Wall bracket Balljoint WBJA	Wall bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-021	92
VT Wall bracket Internal Cable WBOVA1	Wall bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-031	190
VT Ceiling Bracket Ball Joint WCM3A	Simple square tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-041	289
VT Ceiling Bracket Internal Cable WCM4A	Stylish round tubing ceiling bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-051	582
VT Ceiling Bracket Ball Joint WCM5A	Stylish round tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-061	455
VT Column Mount Ball Joint WFWCA	Column mount with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-071	377
VT Pole Mount Adapter WSFPA	Pole mount adapter for AXIS T92A Housing. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-081	258
Vt Wall Bracket Adapter Plate WCPA	Wall bracket adapter plate. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-091	149
VT Corner Mount WCWA	Corner mount. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT			0217-101	223
Videotec Wall Bracket Junction Box WBOV3A1	Wall bracket, support plate and integrated junction box with internal cable channel. For use with Videotec HPV42K1A000 (Axis 0217-001). NOT FOR USA			0217-111	757
Videotec Waterproof Junction Box OHEGB	Waterproof junction box. For use with Videotec HPV42K1A000 (AXIS 0217-001). NOT FOR USA			0217-121	223
Verso Cool Outdoor Housing VT VERSO HOUSING FAN HPV42K0A017	Polycarbonate outdoor housing for the AXIS 210 (indoor only), 211, 211A and 221 Network Cameras, to be used in temperature up to +50C. Fan and sunshield included. Bracket, heater and power supply not included. NOT FOR USA			0217-141	797
VT POWER SUPPLY OHEGBPS1	Power supply for 0217-141 NOT FOR USA			0217-151	473
VT HEATER 110/230VAC OHPVH1	Heater for use with AXIS 0217-141. When used, 0217-141 can handle temp down to -20C. NOT FOR USA			0217-161	88
VT VANDAL-RESISTANT HOUSING AVTPSC	Vandal-resistant indoor housing for AXIS 210/A, 211/A and 221. NOT FOR USA			0217-191	797
VT POWER SUPPLY OAVTPSCPS1	Power supply for 0217-191. NOT FOR USA			0217-211	257
VT HEATER KIT OAVTPSCH1	Optional heater for 0217-191. NOT FOR USA			0217-221	131

AXIS HOV HOUSING VT	Made of die-cast aluminium, the sunshield of ABS material, AXIS HOV HOUSING VT ensures total protection against all environmental conditions. Enables the Axis Network Camera to operate down to -20C. IP66. For 210/210A, 211/211A/211M/211W, 221 and 223M. NOT FOR USA	EOL		0217-231	757
AXIS HOV POWER SUPPLY VT	Power supply for 0217-231. NOT FOR USA			0217-241	217
AXIS T92A00 Housing	Outdoor IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminium, the sunshield of ABS material. 110VAC-230VAC input and built in 12VDC camera power supply. NOT FOR USA			5015-001	950
AXIS T92A10 Housing	Outdoor IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminium, the sunshield of ABS material. Includes UL certified 110VAC power supply, heater and wall bracket with internal cable channel. Built in 12VDC camera power supply NOT FOR EU				1,138
AXIS T92A20 Housing	Outdoor High PoE powered IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Also includes heater, wall bracket with internal cable channel and AXIS T8121 single port High PoE midspan. Country Specific			5015-203	1,712
ACC MOUNT CLAMP FOR AXIS 207	Clamp to mount AXIS 206 series and AXIS 207 series.			5004-001	35
AXIS 206/207 Vandal-resistant Housing	Vandal-resistant indoor housing for Axis 206/207 (not wireless)			5006-001	757
ACC OUTDOOR ANTENNA KIT 211W	External antenna for AXIS 211W. Includes 3 m cable.			5500-311	490
ACC LIGHTNING PROTECTOR 211W	Lightning protector for AXIS 211W when used outdoors with external antenna			5500-321	337
ACC MALE RJ45 for AXIS 209FD-R	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera.			5502-061	57
ACC MALE RJ45 for AXIS 209FD-R 10 pack	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera. 10 pack			5502-051	569
CONNECTOR M12 FEMALE 10PCS	Rugged, female D-coded M12 connector compatible with AXIS 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs			5502-141	569
CONNECTOR M12 MALE 10PCS	Rugged, male D-coded M12 connector compatible with 5502-141. Field installable with screw-in contacts. 10 pcs			5502-131	569
COVER AXIS M30 SERIES BLACK 10PCS	Black cover with clear bubble for AXIS M30 Series. 10 pack			5502-181	569
COVER AXIS M30 SERIES SILVER	Silver cover with clear bubble for AXIS M30 Series. 10 pack			5502-191	569
COVER AXIS M30 SERIES GOLD 10PCS	Gold cover with clear bubble for AXIS M30 Series. 10 pack			5502-201	569
COVER AXIS M30 SERIES MIX 10PCS	Mixed covers with clear bubble for AXIS M30 Series. Includes 3 black, 3 silver, 3 gold and 1 white cover.			5502-341	569
MOUNT CLAMP AXIS M10 Series 10 PACK	Clamp to mount AXIS M10 series. 10 pack.			5502-391	109
Lenses, analog camera, and camera stands					
C/CS lenses and acc.					

ACC LENS 4MM CS MOUNT	CS mount 4 mm, for 210/210A/2100	EOL, no stock. Replacement 5500-161. Moved to Spare parts		5500-151	188
Theia Fixedfocal Megapixel 1.7MM	CS mount Fixedfocal Lens 1.7 mm DC-Iris for 211M and 223M. Includes CS mount ring for AXIS 223M. Wideangle lens without barrel distortion.	New		5502-451	1,025
Pentax Varifocal Lens 5-50mm	CS mount Varifocal 5-50 mm DC-Iris for 211 and 221			5500-291	644
Pentax Varifocal Lens 5-50mm 10-pack	CS mount Varifocal 5-50 mm DC-Iris for 211 and 221 in 10-pack			5500-941	6,090
Tamron Varifocal 10-40mm	C mount Varifocal Lens 10-40mm DC Iris day and night corrected for AXIS 221. Includes C mount ring for AXIS 221.			5502-121	757
Varifocal MegaPixel Lens 2.4-6mm	CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for 211M and 223M. Includes CS mount ring for AXIS 223M.			5500-871	757
Varifocal MegaPixel Lens 5-50mm	CS mount Varifocal Megapixel Lens 5-50mm DC Iris for 211M.			5502-221	950
M12 lenses					
LENS M12 MEGAPIXEL 2.8MM 10PCS	Megapixel lens 2.8mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs			5502-101	757
LENS M12 MEGAPIXEL 3.6MM 10PCS	Megapixel lens 3.6mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter 10pcs			5502-151	569
LENS M12 MEGAPIXEL 6MM 10PCS	Megapixel lens 6mm lens with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter 10pcs			5502-111	569
LENS M12 MEGAPIXEL 8MM 10 PCS	Megapixel lens 8mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs			5502-411	569
LENS M12 MEGAPIXEL 16MM 10 PCS	Megapixel lens 16mm with M12 thread for AXIS 209FD / AXIS 209MFD / AXIS M3011. With IR filter. 10pcs			5502-161	569
Stands					
Camera stand for AXIS 20X, plastic (BLACK)	Black plastic stand for AXIS 205, 206, 206M, 206W, 207, 207W Network Cameras			5500-131	53
Sony SSC-CX18VP PAL	Sony SSC-CX18VP Analogue Color Video Camera inc, metal mounting stand			20343	2,855
Power supplies, cables, connectors, and rack					
Power supplies					
Power supply PS-P T-C	Power supply PS-P T-C for AXIS Q1755			5502-251	171
Extension cable PS-K 3M	3M extension Cable for PS-K products			5500-081	61
Extension cable PS-H 1.8M	1.8 meter extension Cable for PS-H and PS-L products			5500-141	37
AXIS PS24 ACC mains adapter	24VAC power adapter for outdoor use together with 0216-001 or 0216-011. Note this is item is also listed under Dome/PTZ accessories. Use 5000-021 for Axis 225FD.	Price change		5000-001	655
AXIS PS12 ACC mains adaptor	12V outdoor/indoor power supply. 5 meter (16.4 ft) input and output cable. Supplied without power plug.			5000-021	785
8 to 1 Power Splitter for Axis 2400/01+	The 8 to 1 Power Splitter for 2400/01+. Feeds up to eight Axis 2400+/2401+. One 6.5 feet input cord and eight 2.9 feet output cords. Snap-mount for 35mm DIN rails. NOTE; No power supply included.			20724	655
Cables, adaptors					

Audio I/O Cable for AXIS P33 Series 5m	Audio and I/O extension cable for AXIS P33 series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Femal. 5 meter.			5502-331	208
Cable, extension PS-D	Extension cable for Power Supply, 3.3 meters, for PS-D			18607	61
Cable, null modem	Serial NULL Modem cable for 2100, 2110, 2120, 2420			18609	74
Cable - Visca to Server	Cable to connect PTZ control of Sony EVI VISCA to Video server, 3 meters			18619	80
Cable - Visca to Visca	Extension cable for PTZ control of Sony EVI VISCA, 3 meters			18621	80
Cable adapter - Y/C to BNC	Cabel adapter to connect a Y/C (S-Video) cable to the Axis 241S Video Server. Same as 21833 but for US			21832	92
Cable adapter - Y/C to BNC	Cabel adapter to connect a Y/C (S-Video) cable to the Axis 241S Video Server. Same as 21832 but for EUR			21833	92
Camera Cable - AXIS 247S	10m extension multi-cable between AXIS 247S and the analog camera and microphone. 6-pin mini-DIN to RCA (video in), RCA (audio in) and Mini DC Jack (power out). Includes RCA to BNC adapter.			5500-351	313
BNC to RCA adapter	4 pack of BNC to RCA adapters. Replaces 19403 and 19404.			5500-441	74
Rack mount 2400/2401	19" Rack mount holder for up to 8 2401/2400 Video Servers.			19273	1,712
Power over LAN/Power over Ethernet/Wireless devices					
AXIS PoE Active Splitter 5V AF	Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS 206, 207, 207W and 207MW.			5008-001	337
Power over LAN active splitter	Use with Power Over LAN Midspans to enable Power Over LAN for AXIS 213 and AXIS 230. Output 12 VDC. The Power over LAN Active Splitter is not IEEE 802.3af compliant. It works only with the AXIS POE MIDSPAN 1-PORT.			0170-001-01	337
AXIS PoE Midspan 8-port	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.Replacing 0169-012-01			5012-003	2,281
AXIS PoE Midspan 16-port	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing. Replacing 0169-002-01			5012-013	3,043
AXIS POE Midspan 1-port	Axis branded. Secure injection of power into a single standard Cat 5 network cable. Maximum cable length 328ft/100m/ Supports single Axis Network Camera/Video Server. Plastic casing			0226-003	263
PoE Active Splitter	Power over Ethernet (802,3af) compatible. Use with Power Over LAN Misdpan or PoE - enabled switches to enable Power over LAN for Axis 210, 2100, 2110, 2120, 2420, 2400+, 2401+, 2411, 241Q, 241S 250S Output 18 VDC.			0227-001	337
T8121 High PoE Midspan 1-Port	High PoE 1-port midspan (802.3.at pre-standard). Compliant with PoE 802.3af. A High PoE 802.3at pre-standard splitter (AXIS T8126/T8128) is required.			5014-003	337

T8126 High PoE Splitter 12V	12V DC High PoE splitter (802.3.at pre-standard). Requires either a AXIS T8121 midspan (max 24W output) or a 802.3af PoE midspan (max 12W output) Adapter cable for AXIS 210, 213PTZ, 214PTZ, 215PTZ and 225FD is included.			5014-501	337
T8128 High PoE Splitter 24V	24V DC High PoE splitter (802.3.at pre-standard). Requires High PoE midspan (AXIS T8121). Adapter cable for AXIS 231D+, 232D+ and 233D is included.			5014-511	337
IR illuminators					
AXIS T90A01 IR-LED 50 DEG POE	850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Fixed angle 50 degrees. Range 14 meters. Input: Power over Ethernet(PoE). Consumption : 10 W			5013-011	1,712
AXIS T90A11 IR-LED 50 DEG	850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Fixed angle 50 degrees. Range 14 meters. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 10 W Cable length 2.5m			5013-111	1,712
AXIS T90A20 IR-LED 120-180 DEG	850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 120 to 180 degrees. Range 16 meters in 120 degrees and 11 meters in 180 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 20 W Cable length 2.5m			5013-201	1,900
AXIS T90A21 IR-LED 50-100 DEG	850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 50 to 100 degrees. Range 28 meters in 50 degrees and 18 meters in 100 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 20 W Cable length 2.5m			5013-211	1,900
AXIS T90A33 IR-LED 10-20 DEG	850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 10 to 20 degrees. Range 150 meters in 10 degrees and 100 meters in 20 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 50 W Cable length 2.5m			5013-331	4,567
AXIS T90A40 IR-LED 120-180 DEG	850 nm semi-covert IR LED Illuminator for use with the Axis Day/Night network cameras. Adjustable angle between 120 to 180 degrees. Range 64 meters in 120 degrees and 42 meters in 180 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 80 W Cable length 2.5m			5013-401	6,471
AXIS T90A66 Pole Bracket	Pole bracket for AXIS T90A illuminators.			5013-661	337
White LED illuminators					
AXIS T90A06 W-LED 50-100 DEG POE	White LED Illuminator for use with the Axis network cameras. Fixed angle 50 degrees. Range 13 meters. Input: Power over Ethernet (PoE). Consumption : 10 W	Delayed		5013-061	1,712

AXIS T90A16 W-LED 50	White LED Illuminator for use with the Axis network cameras. Fixed angle 50 degrees. Range 13 meters. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 10 W Cable length 2.5m			5013-161	1,712
AXIS T90A26 W-LED 50-100 DEG	White LED Illuminator for use with the Axis network cameras. Adjustable angle between 50 to 100 degrees. Range 20 meters in 50 degrees and 13 meters in 100 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 25 W Cable length 2.5m			5013-261	2,281
AXIS T90A37 W-LED 30-60 DEG	White LED Illuminator for use with the Axis network cameras. Adjustable angle between 30 to 60 degrees. Range 42 meters in 30 degrees and 28 meters in 60 degrees. Includes power supply with photocell and wall / ceiling bracket. Input : 100-240 VAC Consumption : 50 W Cable length 2.5m			5013-371	4,567