



Jalan USJ 1/33, USJ 1  
47600 Subang Jaya  
Selangor Darul Ehsan  
Tel no.: +603 8023 2733  
Fax no.: +603 8023 1733/3093

### Axis Fixed Cameras PriceList (October 2009)



Product Name	Description	Status	Min Order Qty	Part Number	Price (RM)
<b>Fixed Cameras</b>					
AXIS 207	Indoor camera, fixed lens. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes recording software, adjustable stand / clamp for easy mounting, and power supply.		5	0235-003	1,214
AXIS 207 10-pack/bulk	AXIS 207 in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0235-033	11,961
AXIS 207 Surveillance Kit	Bundle with 4 units of AXIS 207 and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Note: Multiple orders of this SKU will not result in 8-, 12-, 16-license, etc of ACS. Additional cameras and ACS 1 or 5 upgrade licenses must be ordered separately.		1	0235-063	6,522
AXIS 207W	Indoor camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) or wired Ethernet. Motion JPEG and MPEG-4 network camera. True bandwidth-efficient MPEG-4. Down to 1 lux. Compact design. Up to VGA 640x480 resolution at 30 fps frame rate. Audio AAC with built-in microphone. Includes recording software, adjustable stand / clamp for easy mounting, and power supply.		5	0241-003	1,301
AXIS 207W 10-pack/bulk	AXIS 207W in <b>10-pack</b> . <b>Cannot be sold separately</b> . Power supplies included.		1	0241-033	12,832
AXIS 207MW	Indoor Megapixel camera, fixed lens. Connects both over wireless LAN (IEEE 802.11g) or wired Ethernet. Motion JPEG and MPEG-4. Up to 1280x1024 resolution. Compact design. Audio AAC with built-in microphone. Includes recording software, adjustable stand / clamp for easy mounting, and power supply.		1	0264-003	1,736
AXIS 207MW 10-pack/bulk	AXIS 207MW in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0264-023	17,183
AXIS M1011	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply.		5	0302-003	779
AXIS M1011 10-pack/bulk	AXIS M1011 in 10-pack/bulk. <b>Cannot be sold separately as single packs</b> . Power supplies included. <b>No clamps</b> .		1	0302-023	7,610

<b>AXIS M1011 Surveillance Kit</b>	Bundle with 4 units of AXIS M1011 and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Additional cameras and AXIS Camera Station 1 or 5 upgrade licenses can be ordered separately.		1	0302-043	4,347
<b>AXIS M1011-W</b>	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply.		1	0301-003	866
<b>AXIS M1011-W 10-pack/bulk</b>	AXIS M1011-W in 10-pack/bulk. <b>Cannot be sold separately as single packs.</b> Power supplies included. <b>No clamps.</b>		1	0301-023	8,480
<b>AXIS M1031-W</b>	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Passive infrared (PIR) sensor and white LED illuminator integrated. Includes stand and clamp for easy mounting, and power supply.		5	0300-003	1,214
<b>AXIS M1031-W 10-pack/bulk</b>	AXIS M1031-W in 10-pack/bulk. <b>Cannot be sold separately as single packs.</b> Power supplies included. <b>No clamps.</b>		1	0300-023	11,961
<b>AXIS M1031-W Surveillance Kit</b>	Bundle with 4 units of AXIS M1031-W and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Additional cameras and AXIS Camera Station 1 or 5 upgrade licenses can be ordered separately.		1	0300-043	5,652
<b>AXIS 210</b>	Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Includes adjustable stand and power supply.		5	0197-003	1,954
<b>AXIS 210 10-Pack/bulk</b>	AXIS 210 in <b>10-pack</b> . <b>Cannot be sold separately as single packs.</b> Power supplies included.		1	0197-023	19,358
<b>AXIS 210 Surveillance Bundle</b>	Bundle with 4 units of AXIS 210 and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Note: Multiple orders of this SKU will not result in 8-, 12-, 16-license, etc of ACS. Additional cameras and ACS 1 or 5 upgrade licenses must be ordered separately.		1	0197-083	8,698
<b>AXIS 210 Barebone 10-pack/bulk</b>	AXIS 210 Barebone in <b>10-pack</b> . <b>Cannot be sold separately as single packs.</b> Power supplies included.	6 week delivery	1	0197-033	18,706
<b>AXIS 210A</b>	Indoor camera, fixed lens. 1/4" progressive scan CCD. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711 with built-in microphone. Includes adjustable stand and power supply.		1	0233-003	2,389
<b>AXIS 210A 10-pack/bulk</b>	AXIS 210A in <b>10-pack</b> . <b>Cannot be sold separately as single packs.</b> Power supplies included.		1	0233-023	23,666

<b>AXIS 210A Surveillance Kit</b>	Bundle with 4 units of AXIS 210A and a 4-license AXIS Camera Station surveillance software for video monitoring, recording and event management. Note: Multiple orders of this SKU will not result in 8-, 12-, 16-license, etc of ACS. Additional cameras and ACS 1 or 5 upgrade licenses must be ordered separately.		1	0233-063	10,003
<b>AXIS 210A Barebone 10 pack/ bulk</b>	AXIS 210A Barebone in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.	6 week delivery	1	0233-053	23,057
<b>AXIS P1311</b>	Fixed, CS-mount lens, 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes power supply.		1	0293-002	2,606
<b>AXIS P1311 10-pack/bulk</b>	AXIS P1311 in 10-pack. <b>Cannot be sold separately as single packs</b> . No power supplies.		1	0293-021	25,667
<b>AXIS P1311 Barebone 10-pack/bulk</b>	AXIS P1311 Barebone in 10-pack. <b>Cannot be sold separately as single packs</b> . No power supplies. No lens.		1	0293-051	24,362
<b>AXIS P1343</b>	SVGA, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	To be launched	1	0320-001	3,259
<b>AXIS P1344</b>	HDTV, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	To be launched	1	0324-001	3,694
<b>AXIS P1346</b>	HDTV, day/night, fixed camera with varifocal 4-10 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	To be launched	1	0328-001	5,435
<b>AXIS 211</b>	Varifocal DC-iris lens. 1/4" progressive scan CCD. Down to 0.75 lux. Up to VGA 640x480 resolution at 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. Includes adjustable stand and power supply.		5	0198-003	2,606
<b>AXIS 211 10 pack/bulk</b>	AXIS 211 in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0198-023	25,667
<b>AXIS 211 Outdoor Verso Bundle</b>	Bundle with 1 unit of AXIS 211 and Verso outdoor housing (0217-001). Including wall mount (0217-031) and power supply (0217-011). <b>NOT FOR USA</b>		1	8016-001-01	3,259
<b>AXIS 211 Outdoor T92A Kit</b>	Bundle with 1 unit of AXIS 211 and AXIS T92A00 Housing (5015-001) aluminum outdoor housing. Including wall mount (0217-031). <b>NOT FOR USA</b>		1	0198-091	3,694
<b>AXIS 211 Barebone 10 pack/bulk</b>	AXIS 211 Barebone in <b>10-pack</b> . <b>Cannot be sold separately</b> . Power supplies included.	6 week delivery	1	0198-053	23,927

AXIS 211A	Varifocal DC-iris lens. 1/4" progressive scan CCD. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Audio full duplex G.711 with built-in microphone. Power over Ethernet. Includes adjustable stand and power supply.		1	0223-003	2,824
AXIS 211A 10-Pack/bulk	AXIS 211A in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0223-023	27,843
AXIS 211A Barebone	AXIS 211A Barebone in <b>10-pack</b> . <b>Cannot be sold</b>	<b>6 week delivery</b>	1	0223-053	26,102
AXIS 211M	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris F1.0 lens. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way, full duplex audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes adjustable stand and power supply.		1	0269-003	3,259
AXIS 211M 10 pack/bulk	AXIS 211M in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . No power supplies.		1	0269-021	31,977
AXIS 211M Barebone 10-pack/bulk	AXIS 211M <b>Barebone</b> in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . No power supplies.	<b>6 week delivery</b>	1	0269-051	30,236
AXIS 211M Outdoor Verso Bundle	Bundle with 1 unit of AXIS 211M and Verso outdoor housing (0217-001). Including wall mount (0217-031) and power supply (0217-011). <b>NOT FOR USA</b>		1	0269-031	3,912
AXIS 211M Outdoor T92A Kit	Bundle with 1 unit of AXIS 211M and AXIS T92A00 Housing (5015-001) aluminum outdoor housing. Including wall mount (0217-031). <b>NOT FOR USA</b>		1	0269-041	4,347
AXIS 211W	Varifocal DC-iris lens. 1/4" progressive scan CMOS.		1	0270-003	3,041
AXIS 211W 10 Pack/bulk	AXIS 211W in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0270-023	30,019
AXIS 211W Outdoor	Bundle with 1 unit of AXIS 211W and Verso outdoor		1	0270-032	4,216
AXIS 221	Varifocal DC-iris lens. 1/3" progressive scan CCD. Down to 0.65 lux in color. Auto day/night mode. Up to VGA 640x480 resolution at 45 frames per second. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-232/485 for data and PTZ control. Includes adjustable stand and power supply.		5	0221-003	4,347
AXIS 221 10-pack/bulk	AXIS 221 in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0221-083	43,072
AXIS 221 Barebone 10 Pack/bulk	AXIS 221 Barebone in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.	<b>6 week delivery</b>	1	0221-053	41,331
AXIS 221 Outdoor Verso Kit	Bundle with 1 unit of AXIS 221 and Verso outdoor housing (0217-001). Including wall mount (0217-031) and power supply (0217-011). <b>NOT FOR USA</b>		1	0221-101	5,000
AXIS 221 Outdoor T92A	Bundle with 1 unit of AXIS 221 and AXIS T92A00		1	0221-121	5,435
AXIS 221 Outdoor T92A Night Kit	Bundle with 1 unit of AXIS 221 and AXIS T92A00 Housing (5015-001 ) aluminum outdoor housing and AXIS T90A21 IR-LED 50-100 DEG (5013-211). Including wall mount (0217-031). <b>NOT FOR USA</b>		1	0221-131	7,393

AXIS 223M	2.0 Megapixel 1/2.7" CCD. Varifocal DC-iris Megapixel lens. Auto day/night mode. Up to 1600x1200 resolution. Up to 12 frames per second in 16:9. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. RS-232 & RS-485 for data. Includes power supply.		1	0247-003	5,435
AXIS 223M 10-pack/bulk	AXIS 223M in 10-pack. No power supply.	EOL, Replaced by 0247-031	1	0247-033	60,259
AXIS 223M 10-pack/bulk	AXIS 223M in 10-pack. <b>Cannot be sold separately as single packs.</b> No power supplies.		1	0247-031	53,732
AXIS 223M Barebone 10-pack/bulk	AXIS 223M in Barebone 10-pack. <b>Cannot be sold separately as single packs.</b> No power supplies. No Lens		1	0247-051	49,381
AXIS 223M Outdoor Verso Kit	Bundle with 1 unit of AXIS 223M and Verso outdoor housing (0217-001). Including wall mount (0217-031) and power supply (0217-011). <b>NOT FOR USA</b>		1	0247-041	6,087
AXIS 223M Outdoor T92A Kit	Bundle with 1 unit of AXIS 223M and AXIS T92A00 Housing (5015-001) aluminum outdoor housing. Including wall mount (0217-031). <b>NOT FOR USA</b>		1	0247-061	6,522
AXIS Q1755 50Hz	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included.		1	0303-001	6,522
AXIS Q1755 60Hz	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included.		1		6,522
AXIS Q1755 50Hz with PoE midspan	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included. Includes one-port Midspan.		1	0303-033	6,740
AXIS Q1755 60Hz with PoE midspan	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included. Includes one-port Midspan.		1		6,740
AXIS Q1755 50Hz 10-pack/bulk	AXIS Q1755 50Hz in 10-pack. <b>Cannot be sold separately as single packs.</b> No midspan.		1	0303-021	64,610
AXIS Q1755 60Hz 10-pack/bulk	AXIS Q1755 60Hz in 10-pack. <b>Cannot be sold separately as single packs.</b> No midspan.		1	0304-021	64,610
AXIS Q1755 Outdoor T92A Kit	Bundle with 1 unit of AXIS Q1755 50 Hz (0303-001) and AXIS T92A00 Housing (5015-001) aluminum outdoor housing. Including Wall mount (0217-031). <b>NOT FOR USA</b>		1	0303-042	7,610
<b>Fixed Dome Cameras</b>					

AXIS 209FD	Indoor camera, fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet incl one-port Midspan.		5	0281-003	2,171
AXIS 209FD 10-pack/bulk	AXIS 209FD in <b>10-pack without</b> Midspans. <b>Cannot be sold separately as single packs.</b>		1	0281-021	20,664
AXIS 209MFD	Indoor camera, fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet incl one-port Midspan.		1	0283-003	2,606
AXIS 209MFD 10-pack/bulk	AXIS 209MFD in <b>10-pack without</b> Midspans. <b>Cannot be sold separately as single packs</b>		1	0283-021	24,797
AXIS 209FD-R	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan.		1	0275-003	2,606
AXIS 209FD-R 10-pack/bulk	AXIS 209FD-R in <b>10-pack</b> excluding one-port Midspans. <b>Cannot be sold separately as single packs</b>		1	0275-021	24,362
AXIS 209FD-R 50-pack/bulk	AXIS 209FD-R in <b>50-pack</b> excluding one-port Midspans. <b>Cannot be sold separately as single packs</b>		1	0275-031	121,393
AXIS 209MFD-R	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan.		1	0286-003	3,041
AXIS 209MFD-R 10-pack/bulk	AXIS 209MFD-R in <b>10-pack</b> excluding one-port Midspans. <b>Cannot be sold separately as single packs</b>		1	0286-021	28,931
AXIS 209MFD-R 50-pack/bulk	AXIS 209MFD-R in <b>50-pack</b> excluding one-port Midspans. <b>Cannot be sold separately as single packs</b>		1	0286-031	143,148
AXIS M3011	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection. Power over Ethernet only, one-port midspan included.		1	0284-003	2,389
AXIS M3011 10-pack/bulk	AXIS M3011 in 10-pack. <b>Cannot be sold separately as single packs. NO Midspans</b>		1	0284-021	22,622
AXIS M3014	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet, one-port midspan included.		1	0285-003	2,824
AXIS M3014 10-pack/bulk	AXIS M3014 in 10-pack. <b>Cannot be sold separately as single packs. NO Midspans</b>	<b>New</b>	1	0285-021	26,755

AXIS 216FD	Varifocal DC-iris lens. 1/4" high-quality progressive scan CMOS sensor. Fixed dome with discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes power supply.		5	0240-003	2,737
AXIS 216FD 10-pack/bulk	AXIS 216FD in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0240-023	26,973
AXIS 216FD-V	Varifocal DC-iris lens. 1/4" high-quality progressive scan CMOS sensor. Fixed dome with vandal-resistant and compact indoor casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes power supply.		5	0268-003	2,911
AXIS 216FD-V 10-pack/bulk	AXIS 216FD-V in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . Power supplies included.		1	0268-023	28,713
AXIS P3301	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply		5	0290-002	2,954
AXIS P3301 10-pack/bulk	AXIS P3301 in 10-pack. <b>Cannot be sold separately as single packs</b> . No power supplies.		1	0290-021	28,931
AXIS P3301-V	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply.		1	0292-002	3,129
AXIS P3301-V 10-pack/bulk	AXIS P3301-V in 10-pack. <b>Cannot be sold separately as single packs</b> . No power supplies.		1	0292-021	30,671
AXIS 216MFD	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes power supply.		5	0278-003	3,172
AXIS 216MFD 10-pack/bulk	AXIS 216MFD in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . No power supplies.		1	0278-021	31,106

<b>AXIS 216MFD-V</b>	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes power supply.		1	0279-003	3,346
<b>AXIS 216MFD-V 10-pack/bulk</b>	AXIS 216MFD-V in <b>10-pack</b> . <b>Cannot be sold separately as single packs</b> . No power supplies.		1	0279-021	32,847
<b>AXIS 225FD</b>	Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes cable gland and indoor power supply.		5	0243-003	4,347
<b>AXIS 225FD 22mm</b>	Varifocal 9-22 mm DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes cable gland and indoor power supply.		1	0243-062	4,347
<b>AXIS 225FD Outdoor Kit</b>	Varifocal DC-iris lens. 1/4" progressive scan CCD. Auto day/night mode. Fixed dome with discreet, vandal-resistant out-door proof IP66 casing with built-in heater and fan. Up to VGA 640x480 resolution at 30 fps frame rate. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Power over Ethernet. RS-485 for data. Includes cable gland and outdoor power supply.	<b>EOL</b>	1	0243-021	5,435
<b>AXIS P3343 12mm</b>	SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>New</b>	1	0307-031	3,477
<b>AXIS P3343 12mm 10-pack/bulk CLEAR</b>	AXIS P3343 12mm in 10-pack. <b>Cannot be sold separately as single packs</b> . No Midspans. Clear transparent cover only.	<b>New</b>	1	0307-041	34,152
<b>AXIS P3343 12mm 10-pack/bulk SMOKED</b>	AXIS P3343 12mm in 10-pack. <b>Cannot be sold separately as single packs</b> . No Midspans. Smoked transparent cover only.	<b>New</b>	1	0307-051	34,152

AXIS P3343 6mm	SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	New	1	0307-001	3,477
AXIS P3343 6mm 10-pack/bulk CLEAR	AXIS P3343 6mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	New	1	0307-021	34,152
AXIS P3343 6mm 10-pack/bulk SMOKED	AXIS P3343 6mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	New	1	0307-061	34,152
AXIS P3343-V 12mm	SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	New	1	0308-031	3,651
AXIS P3343-V 12mm 10-pack/bulk CLEAR	AXIS P3343-V 12mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	New	1	0308-041	35,893
AXIS P3343-V 12mm 10-pack/bulk SMOKED	AXIS P3343-V 12mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	New	1	0308-051	35,893
AXIS P3343-V 6mm	SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	New	1	0308-001	3,651
AXIS P3343-V 6mm 10-pack/bulk CLEAR	AXIS P3343-V 6mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	New	1	0308-021	35,893
AXIS P3343-V 6mm 10-pack/bulk SMOKED	AXIS P3343-V 6mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	New	1	0308-061	35,893

<b>AXIS P3343-VE 12mm</b>	SVGA, day/night, fixed dome with discreet vandal-resistant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	<b>New</b>	<b>1</b>	<b>0299-031</b>	<b>4,347</b>
<b>AXIS P3343-VE 12mm 4-pack/bulk CLEAR</b>	AXIS P3343-VE 12mm in 4-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	<b>New</b>	<b>1</b>	<b>0299-041</b>	<b>17,183</b>
<b>AXIS P3343-VE 12mm 4-pack/bulk SMOKED</b>	AXIS P3343-VE 12mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>New</b>	<b>1</b>	<b>0299-051</b>	<b>17,183</b>
<b>AXIS P3343-VE 6mm</b>	SVGA, day/night, fixed dome with discreet vandal-resistant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	<b>New</b>	<b>1</b>	<b>0299-001</b>	<b>4,347</b>
<b>AXIS P3343-VE 6mm 4-pack/bulk CLEAR</b>	AXIS P3343-VE 6mm in 4-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	<b>New</b>	<b>1</b>	<b>0299-021</b>	<b>17,183</b>
<b>AXIS P3343-VE 6mm 4-pack/bulk SMOKED</b>	AXIS P3343-VE 6mm in 4-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	<b>New</b>	<b>1</b>	<b>0299-061</b>	<b>17,183</b>
<b>AXIS P3344 12mm</b>	HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>New</b>	<b>1</b>	<b>0326-041</b>	<b>3,912</b>
<b>AXIS P3344 12mm 10-pack/bulk CLEAR</b>	AXIS P3344 12mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	<b>New</b>	<b>1</b>	<b>0326-051</b>	<b>38,503</b>
<b>AXIS P3344 12mm 10-pack/bulk SMOKED</b>	AXIS P3344 12mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	<b>New</b>	<b>1</b>	<b>0326-061</b>	<b>38,503</b>

<b>AXIS P3344 6mm</b>	HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>New</b>	<b>1</b>	<b>0326-001</b>	<b>3,912</b>
<b>AXIS P3344 6mm 10-pack/bulk CLEAR</b>	AXIS P3344 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>New</b>	<b>1</b>	<b>0326-021</b>	<b>38,503</b>
<b>AXIS P3344 6mm 10-pack/bulk SMOKED</b>	AXIS P3344 6mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>New</b>	<b>1</b>	<b>0326-031</b>	<b>38,503</b>
<b>AXIS P3344-V 12mm</b>	HDTV, day/night, fixed dome with discreet vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>New</b>	<b>1</b>	<b>0327-041</b>	<b>4,086</b>
<b>AXIS P3344-V 12mm 10-pack/bulk CLEAR</b>	AXIS P3344-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	<b>New</b>	<b>1</b>	<b>0327-051</b>	<b>40,244</b>
<b>AXIS P3344-V 12mm 10-pack/bulk SMOKED</b>	AXIS P3344-V 12mm in 10-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	<b>New</b>	<b>1</b>	<b>0327-061</b>	<b>40,244</b>
<b>AXIS P3344-V 6mm</b>	HDTV, day/night, fixed dome with discreet vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>New</b>	<b>1</b>	<b>0327-001</b>	<b>4,086</b>
<b>AXIS P3344-V 6mm 10-pack/bulk CLEAR</b>	AXIS P3344-V 6mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	<b>New</b>	<b>1</b>	<b>0327-021</b>	<b>40,244</b>
<b>AXIS P3344-V 6mm 10-pack/bulk SMOKED</b>	AXIS P3344-V 6mm in 10-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	<b>New</b>	<b>1</b>	<b>0327-031</b>	<b>40,244</b>

AXIS P3344-VE 12mm	HDTV, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	New	1	0325-041	4,782
AXIS P3344-VE 12mm 4-pack/bulk CLEAR	AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Clear transparent cover only.	New	1	0325-051	18,923
AXIS P3344-VE 12mm 4-pack/bulk SMOKED	AXIS P3344-VE 6mm in 4-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Smoked transparent cover only.	New	1	0325-061	18,923
AXIS P3344-VE 6mm	HDTV, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	New	1	0325-001	4,782
AXIS P3344-VE 6mm 4-pack/bulk CLEAR	AXIS P3344-VE 6mm in 4-pack. <b>Cannot be sold separately as single packs.</b> No Midspans. Clear transparent cover only.	New	1	0325-021	18,923
AXIS P3344-VE 6mm 4-pack/bulk SMOKED	AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. No Midspans. Smoked transparent cover only.	New	1	0325-031	18,923
<b>Pan/Tilt/Zoom Cameras</b>					
AXIS 212 PTZ	Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply.		1	0257-003	2,824
AXIS 212 PTZ 10 pack/bulk	AXIS 212 PTZ in <b>10 pack</b> . <b>Cannot be sold separately as single packs.</b> Power supplies included.		1	0257-023	27,843
AXIS 212 PTZ-V	Vandal resistant version of AXIS 212 PTZ. Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply.		1	0280-003	3,041
AXIS 212 PTZ-V 10 pack/bulk	AXIS 212 PTZ-V in <b>10 pack</b> . <b>Cannot be sold separately as single packs.</b> Power supplies included.		1	0280-023	30,019

<b>AXIS 213 PAL</b>	Auto iris auto focus zoom lens. IR mode for nighttime conditions. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Audio full duplex G.711 (with AXIS 213CM). Includes ceiling and desktop mount kit and power supply.		1	0219-003	6,522
<b>AXIS 214 PTZ 50Hz</b>	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.		1	0245-003	5,652
<b>AXIS 214 PTZ 60Hz</b>	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.		1	0246-003	5,652
<b>AXIS 215 PTZ 50Hz</b>	Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Includes power supply, mounting kit for hard and drop ceiling and transparent cover smoked and clear.		1	0273-003	4,347
<b>AXIS 215 PTZ 60Hz</b>	Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Includes power supply, mounting kit for hard and drop ceiling and transparent cover smoked and clear.		1	-	4,347
<b>AXIS 215 PTZ-E 50Hz</b>	Outdoor, IP66-rated pan/tilt/zoom camera including auto-iris, automatic day/night, and autofocus 12x zoom lens. Up to 4CIF resolution at 30/25 fps. Simultaneous MPEG-4 and Motion JPEG. Pre-mounted wall bracket, 5-meter power and Ethernet cables. 100 - 240 V AC power input. Clear dome bubble.		1	0305-001	6,087
<b>AXIS 215 PTZ-E 60Hz</b>	Outdoor, IP66-rated pan/tilt/zoom camera including auto-iris, automatic day/night, and autofocus 12x zoom lens. Up to 4CIF resolution at 30/25 fps. Simultaneous MPEG-4 and Motion JPEG. Pre-mounted wall bracket, 5-meter power and Ethernet cables. 100 - 240 V AC power input. Clear dome bubble.		1	-	6,087
<b>Pan/Tilt/Zoom Dome Cameras</b>					
<b>AXIS 231D+ 50 Hz</b>	Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.		1	0250-001	8,698
<b>AXIS 231D+ 60 Hz</b>	Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.		1	0251-001	8,698

<b>AXIS 232D+ 50 Hz</b>	Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.		1	0252-001	8,698
<b>AXIS 232D+ 60 Hz</b>	Auto iris auto focus zoom lens. 1/4" CCD. WDR. Down to 0.3 lux in color. Auto day/night mode. Continuous 360° rotation. >0° to -90° tilt range. Up to 4CIF resolution at 30 fps frame rate. Motion JPEG and MPEG-4. I/O for alarm/event handling. Includes hard and drop ceiling mount kit and power supply.		1	0253-001	8,698
<b>AXIS 233D 50 Hz</b>	35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0,008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion JPEG. Two-way audio, I/O for alarm/event handling. Includes hard and drop ceiling mount kit, smoked and clear transparent covers and power supply.		1	0265-001	10,873
<b>AXIS 233D 60 Hz</b>	35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0,008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion JPEG. Two-way audio, I/O for alarm/event handling. Includes hard and drop ceiling mount kit, smoked and clear transparent covers and power supply.		1	0266-001	10,873
<b>AXIS Q6032-E 50 Hz</b>	Outdoor-ready, IP66-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30/25 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes smoked and clear transparent bubble and High PoE midspan. <b>No mounting bracket included</b> (several different available as accessories).		1	0317-002	13,919
<b>AXIS Q6032-E 60 Hz</b>	Outdoor-ready, IP66-rated, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30/25 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes smoked and clear transparent bubble and High PoE midspan. <b>No mounting bracket included</b> (several different available as accessories).		1		13,919